

Request for Proposal RFP 2022-04

Parks and Recreation Pool Chair Lifts and Pool Lift Caddies City of Charleston, WV

Jamie Bowles
Purchasing Director
City of Charleston
P: (304) 348-8014
F: (304) 348-8157

bids@cityofcharleston.org

Please be sure the following documents are included in this bid package:

- 1. Purchasing Affidavit
- 2. Purchasing Affidavit for Local Vendor Preference (If applicable)
- 3. Signed Protest Page
- 4. Addendum Acknowledgement Form, if an addendum was issued.
- 5. List of Stockholders
- 6. Bid Surety Bond
- 7. Signed Drug Free Workplace Affidavit

INTENT

This project shall consist of purchasing four swimming pool chair lifts and supporting mobile caddies. This work shall include the furnishing of all materials, and equipment necessary to complete and protect all phases of the work performed as shown upon the attached details and in accordance with these specifications.

The details contained in the following specifications are not designed to exclude any manufacturer from bidding but are offered as a means of describing the needs of the City of Charleston. Where brand names are used, the words "or equal" are assumed to follow. All specifications are minimum requirements unless otherwise stated. Any deviations from the stated specifications must be described in detail. The merit of such deviations will be considered with regard to the City of Charleston's intended use.

INFORMATION FOR BIDDERS

1. Receipt and Opening of Bids

The City of Charleston (City) invites bids on the attached forms. Sealed bids will be received in the City Manager's Office until **Tuesday**, **January 18**, **2022**, **10:30** a.m. The bid opening will be held 11:00 a.m. in the City Manager's Office.

2. Preparation of Bid

Each bid must be submitted in a sealed envelope with the following information marked on the outside: name of bidder, address, project name, and bid opening date and time. The bid must be submitted to the City Manager's Office located at 501 Virginia Street East, Room 101, Charleston, WV 25301. Vendors may hand deliver or mail their submissions to the aforementioned address. Bid packages shall contain one (1) original and one (1) copy of the vendor's entire bid submission. All documents in bid packet must be signed, dated and notarized where applicable or bid may be disqualified.

3. Addenda

All questions pertaining to the specifications shall be submitted in writing to Purchasing Director, Jamie Bowles via email to bids@cityofcharleston.org no later than 4:00pm, Monday, January 10, 2022. Questions submitted will then be compiled and answered in an addendum to be issued no later than 4:00pm, Tuesday, January 11, 2022. The City of Charleston will not be held responsible for oral interpretations of the specifications given by any of its employees, representatives, or others. The issuance of a written addendum is the only official method whereby interpretation, clarification, or additional information pertaining to this RFP can be given. If any addenda are issued to this RFP, the Interim Purchasing Director will attempt to notify all prospective bidders who have secured the original RFP document. However, it will be the responsibility of each vendor, prior to submitting their proposal, to contact the Purchasing Director via phone at (304) 348-8014, by email to bids@cityofcharleston.org, or by checking the City of Charleston Website at https://charlestonwv.gov/bids-purchasing/current-bids, to determine if any addenda were issued and to make such addenda a part of their competitive proposal.

4. Method of Award

The City Council or City Manager reserves the right to reject any or all bids and is not necessarily bound to accept the lowest bid if that bid is contrary to the best interest of the City. In making an award, intangible factors such as bidder's service, integrity, facilities, equipment, reputation and past performance will be weighed.

5. Stockholders

A list of all stockholders by name and address owning 5% or more of the bidder's current stock must be submitted with the bid. In the case of partnerships or sole proprietorships, those receiving a 5% or more share of the company's net profit must be listed.

6. Equal Employment Opportunities

All bidders acknowledge and agree that, in the performance of any City contract, they will not discriminate against any employee or applicant for employment because of race, color, religion, age, sex, sexual orientation, gender identity, disability, or national origin.

7. Immigration Reform and Control Act (IRCA)

All bidders in connection with the performance of this project shall certify that they are in complete compliance with the above noted Act.

8. Payment Terms

Payment terms are net 30 days from the first or fifteenth day of the month for invoices received by the first or fifteenth day of the month. Mail invoices to Charleston Parks and Recreation, City of Charleston, 200 Baker Lane, Charleston, WV 25302.

9. Local Vendor Preference

A local vendor may qualify for a competitive advantage applied to its bid when certain conditions are met. Such as, the vendor has marked on its bid submission that it is requesting to be considered a local vendor for bid evaluation purposes; the vendor provides documentation evidencing that it has the right to conduct business in the State of West Virginia; and the vendor submits an affidavit confirming that it has paid all applicable business taxes to the city or has a non-delinquent payment plan with the city and has had an active and current business and occupation tax account with the city collector during the entire preceding one-year period.

Competitive advantages shall be applied in the following manner:

- (1) A competitive advantage of 4% shall be applied to the local vendor's bid when, prior to applying the competitive advantage, the apparent lowest responsible bidder submits a bid that is greater than \$25,000 but does not exceed \$125,000.
- (2) The competitive advantage of \$5,000 shall be applied to the local vendor's bid when, prior to applying the competitive advantage, the apparent lowest responsible bidder submits a bid that is greater than \$125,000.

10. Business & Occupation Tax

The City of Charleston broadly imposes a Business & Occupation Privilege Tax for the act or privilege of engaging in business activities within the City of Charleston. Business & Occupation Tax is measured by the application of rates against gross receipts or gross income of the business. All business activities are classified, and the classifications are significant inasmuch as the tax liability varies based on the different rates established for the specific types of business activities.

Individuals or businesses who do not have a physical location or office located in the City of Charleston are also subject to Business & Occupation Tax if they: 1) lease tangible personal property to lessees in Charleston, or 2) perform construction or installation contracts in Charleston or 3) render services in Charleston. Additionally, anyone who sells and/or delivers goods or products in Charleston may also be subject to Business & Occupation Tax.

Business & Occupation Tax should be considered when preparing your bid. If you are uncertain as to your business activity or how your business should properly calculate the tax when preparing your bid, please contact us at botax@cityofcharleston.org.

NOTE: No contract or purchase of materials or equipment will be awarded to a company whose Business & Occupation Tax status is delinquent.

GENERAL CONDITIONS

- Bid shall be delivered F.O.B. to: the City Manager's Office located at 501 Virginia Street East, Room 101, Charleston, WV 25301.
- Equipment Delivery Information if needed.
- Only new equipment will be accepted. No factory refurbished, display or used equipment is allowed. All manuals, warranties and agreements must arrive at the time the equipment is delivered.
- Bidder shall state on bid proposal form number of days allowed for delivery of equipment following date of firm order. The successful bidder will be held accountable to honor the delivery date.
- · Only one bid will be accepted from each vendor.
- The equipment will not be accepted by the City if all specifications and any other requirements have not been met. Return of the equipment, if necessary, will be at the expense of the bidder.
- Any deviations from the bid specifications must be included on a separate sheet and attached to the bid form.
- Enclose with this bid proposal all manufacturer brochures, all warranty agreements on
 equipment proposed, the city's Purchasing Affidavit and any other documents as required
 by the City and described in this document. Vendors must acknowledge the City's protest
 process, attached herein, by submitting a signed copy with their bid proposal. Vendors may
 not be considered, at the City's discretion, if any of the listed enclosures are not
 included with the bid submission.
- Per City Code, facsimile, telephonic or oral bids will not be accepted.
- Debarred vendors may not submit bids or be awarded contracts.
- The City of Charleston is exempt from state and local taxes.
- The City Council or the City Manager reserves the right to reject any and all bids.
- Contract and Contract Documents

The Contract includes the invitation for bids, proposal, contract form, contract bond, specifications, special provisions, notice to proceed, any change orders and other supplemental agreements that are required to complete the project in an acceptable manner.

The quantities listed in the contract documents are estimates. The City will pay for quantities actually in place. The City reserves the right to vary the quantities up to 50 % with no change in unit price, except for optional items that may or may not be completed as part of this project.

• Contractor's Obligations and Retainage

The Vendor shall guarantee that his equipment is free from defects for one (1) year after acceptance of the project by the City.

Changes in Work

No changes in the equipment will be allowed without prior approval of the City. Changes will be accounted for by unit bid prices, an agreed lump sum, and other applicable costs.

2022-04 Parks and Recreation Pool Chair Lifts and Pool Lift Caddies

Description	Date	
Technical Question Due Date	Monday January 10, 2022	
Bid Opening	Tuesday, January 18, 2022	
Equipment Delivery	One month from the issued award	

DETAILED SPECIFICATIONS

1. Swimming Pool Chair Lifts and Pool Lift Caddies

Provider is to furnish **SR Smith Splash!** (or equal) pool chair lifts and supporting pool lift caddies or equal to the following specifications:

- 1.1 SR Smith Splash! Pool Chair Lift:
 - Provide Qty. 4 SR Smith Splash! Aquatic ADA Compliant Pool Lift 300
 - Semi-Permanent Installation Easily removable from anchor
 - Must be portable
 - 400 pound lifting capacity 344 degree rotation
 - LifeOperator Intelligent Controller
 - Provide Qty. 4 24 volt rechargeable battery
 - Provide Qty. 4 battery chargers
 - Provide Qty. 4 battery console cover
 - · Provide Qty. 4 waterproof control
 - · Provide Qty 4 stainless steel anchor socket with cover
 - Provide Qty 4 armrests, (4) footrests, and (4) seat belt assembly
 - Gray Mist Powder- Coated stainless steel and aluminum construction
 - Integrated armrests CA Compliant
 - 1.2 Chair lifts must be compatible to fit the proper decking size. See attached deck profile sheets:
 - North Charleston Community Center Pool (Attachment A)
 - MLK Jr. Community Center Pool (Attachment B)
 - Kanawha City Community Center Pool (Attachment C)
 - Cato Pool (Attachment D)
- 1.3 SR Smith Pool Lift Caddy
 - Provide Qty. 4 SR Smith Splash! Pool Lift Caddy

EXCEPTIONS AND DEVIATIONS

Bidder shall fully describe every variance, exception and/or deviation. Please includ with your bid form. Additional sheets may be used if required.

CITY OF CHARLESTON BID AND PROPOSAL FORM

Parks and Recreation Pool Chair Lifts and Pool Lift Caddies RFP 2022-04

We agree to sell and complete to the City of Charleston the project titled above as described in the attached specifications for the prices listed below:

Description	Unit	Quantity	Unit Cost	Item Total
Item 1.1 – SR Smith Splash Pool Chair Lift		4		
Item 1.3 – SR Smith Pool Lift Caddy	···	4		
			PROJECT TOTAL:	

All items required for project completion but not listed separately shall be considered incidental to the items shown. Quantities are estimates for bidding purposes only; the City of Charleston will only pay for actual quantities installed. The City of Charleston reserves the right to vary quantities up to 50% with no increase in unit price.

CITY OF CHARLESTON BID AND PROPOSAL FORM

Parks and Recreation Pool Chair Lifts and Pool Lift Caddies RFP 2022-04

By checking this box and signing below, I hereby certify and attest I have read the Local Vendor Preference statement found on page 6, item 11 and understand that a vendor must qualify that all conditions have been met to be given a competitive advantage.						
□ By checking this box and signing below, I hereby certify and attest I have read the Business & Occupation Tax statement found on page 6, item 12 and understand that Business & Occupation Tax may apply to the sale of my product or service to the City of Charleston.						
□ I certify that this ve this bid submission al	ndor has in place equal empl ll enclosures listed below (inc	oyment opportunity po luding applicable purcl	licies and have included with nasing affidavits).			
Authorized Bidder's S	ignature		Title			
Printed/Typed Bidder	's Name		Date			
Company Name:						
Address: Street	City	State	Zin			
Guest	City	State	Zip			
Telephone Number:		Fax Number:				
Email Address:						

Page 2 of 2

PROJECT: Parks and Recreation Pool Chair Lifts and Pool Lift Caddies RFP 2022-04

CITY OF CHARLESTON PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE OR POLITICAL SUBDIVISION:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars (\$1,000) in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, vendors that is has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code**. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contracts may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code** and who has not submitted that plan to the appropriate contracting authority in a timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the **West Virginia Code** may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted, the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for a price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, the West Virginia Insurance Commission or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor afVendors and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name:	
Authorized Signature:	Date:



CITY OF CHARLESTON, WEST VIRGINIA

LOCAL VENDOR AFFIDAVIT

Pursuant to § 2-480 of the Charleston City Code, a Local Vendor may qualify for a competitive advantage applied to its bid when certain conditions are met. One condition requires the vendor to submit this affidavit confirming that (1) the vendor has paid all applicable business taxes to the City or has a non-delinquent payment plan with the City, and (2) the vendor must state that it has had an active and current business & occupation tax account with the City Collector during the entire one-year period prior to the bid opening.

<u>AFFIRMATION</u>: By singing this form, the vendor's authorized signer afVendors and acknowledges under the penalty of law for false swearing (W. Va. Code § 61-5-3) that (1) the vendor has paid all applicable business taxes to the City or has a non-delinquent payment plan with the City, and (2) the vendor has had an active and current business & occupation tax account with the City Collector during the entire one-year period prior to the scheduled bid opening for the procurement listed below.

WITNESS THE FOLLOWING SIGNATURE:			
Vendor's Corporate Name:			
Authorized Signature:		_ Date:	
(Printed Name and Title)		_	
State of			
County of, to wit:			
Taken, subscripted, and sworn before me this	day of _		, 20
SEAL]			
		Notary Public	С
My Commission expires			
	*******	*****	
Name of Procurement:		Bid Opening [Date:

PROJECT: Parks and Recreation Pool Chair Lifts and Pool Lift Caddies RFP 2022-04

PROTEST

In the event that any vendor desires to protest City's selection, such vendor (hereinafter "Protestor") shall submit its protest in writing, which must be received by City within two (2) business days of receipt of the Notice of Award letter. Provided that the City Manager reserves the right to extend the time for submission of the protest if he determines it is reasonable under the circumstances.

The written protest must be submitted to the City Manager's Office, Attention: Jonathan Storage 501 Virginia Street East, Room 101; Charleston, WV 25301.

Only vendors who have submitted a timely and responsive proposal may protest City's selection. No protest may be filed if the RFP is withdrawn or if all proposals received in response to the RFP are rejected.

Protests shall include the following information:

- 1. The RFP title and project description;
- 2. The Protestor's name, address, telephone number, and fax number;
- 3. A detailed statement of the legal and/ or factual grounds for the protest;
- 4. A statement as to how the objectionable matter(s) resulted in prejudice to the Protestor;
- 5. Copies of all relevant documents;
- 6. A request for a ruling by City;
- 7. A statement as to the form of relief requested;
- 8. All information establishing that Protestor is an interested party with authority for the purpose of filing a protest.

At the time of submitting the written protest, Protestor shall submit a certified check in the amount of one thousand dollars (\$1,000.00) or bond equal to five percent (5%) of the price of the selected proposal, whichever is greater. In the event the proposal being protested is for contracted services, an estimated average of the contract value will be determined in order to calculate the five percent (5%) bond value. This bonding requirement is designed to protect against frivolous claims and unnecessary expenditures of public funds and to allow City to offset any and all costs, fees, expenses or damages of any kind whatsoever incurred by City as the result of an unsuccessful protest.

In the event the protest is unsuccessful, the certified check or bond will be used by City to recoup any and all costs, fees, expenses, or damages of any kind whatsoever incurred by City and related in any way to the unsuccessful protest. Costs, fees, expenses, and damages shall include, but shall not be limited to, increased costs of labor, materials or services resulting from any delay, professional fees, including, but not limited to, attorney fees, and all costs, fees or expenses of any kind whatsoever related in any way to the unsuccessful protest. By signing this document, Protestor waives the right to receive any money retained by City as set forth herein. If there are any funds remaining after City has recouped amounts as permitted herein, the remaining funds will be returned to Protestor. In the event Protestor is successful, the full amount of the certified check or bond will be returned to Protestor.

Upon receipt of a timely written protest, City shall provide notice of the protest to vendor selected as the successful bidder (hereinafter "Selected Vendor") and provide Selected Vendor with a copy of the written protest and any documents related thereto. **Selected Vendor will have two (2) business days to file a written response to the protest.** A hearing will be held within five (5) business days of the **date of receipt of the written protest by Selected Vendor**; provided that, City may, in its sole discretion, set the date of

the hearing beyond the five (5) day time period specified herein if deemed necessary or convenient to do so by City. At the hearing, both Protestor and Selected Vendor will have an opportunity to appear and present evidence and testimony in support of their positions. The hearing will be held before the City Manager or his designee. The department head of the department seeking the RFP and the City Attorney shall be in attendance.

A decision will be made by City within five (5) business days of the hearing. Upon a decision having been made, both Protestor and Selected Vendor will be notified in writing of City's decision.

In the event City's selection is reversed, City will reevaluate all proposals which were originally and timely submitted, in accordance with state and city laws and regulations. During the reevaluation, issues addressed during the protest proceedings may be considered.

Once a written protest is filed, no work will be performed by Selected Vendor until such time as City has rendered a final decision on the protest; provided that, if City, in its sole discretion, determines time is of the essence regarding receipt of the goods or completion of the services to be performed, City may permit Selected Vendor to proceed pursuant to its proposal and any Agreement with City, until/unless the protest is successful.

By submitting a proposal, each vendor agrees that the procedure outlined herein is the exclusive remedy available to challenge/protest the award of a contract to a successful bidder. Each vendor further agrees that, in the event any qualified vendor fails to submit a written protest and certified check or bond within the time period specified, that vendor thereby forever waives its right to any further claim, action, or remedy, including, but not limited to, the right to bring an action before any administrative agency or any court of competent jurisdiction.

Vendor Signature	Date

Attachment A

SR.Smith.

deck profile sheet **POOL LIFT***

			ofile sheet must accompany your pool lift order		
1. Preferred Lift: PAL PAL2 Splash! Splash! 300 aXs2 multiLift ML300					
	2. Gutter Configuration:				
Fully recessed gutter	Fully recessed gutter w/parapet	Partially recessed	Bull Nose Coping		
gatto		gutter			
	Î A B	Witness Total March Control of the C	$ \downarrow \qquad \downarrow \qquad$		
A	D	A	A ← F		
		A BASE OF THE SECOND			
(1997年1月1日 1997年1月1日 1997年1日 1997年1					
Standard backyard pool	Rollout gutter	Flush gutter and deck	Florida Rollout w/curb		
		─w/orw/o bullnose	. 1431431		
A	↑ A ←	D	VY D C Y		
		(Table 1 1 1 1 1 1 1 1 1 1			
建 模线线					
If none of the images abo	ove match your gutter configuration	on, please draw the shape on a se	parate piece of paper and attach.		
3. Facility Type (check	one); Health Club	Hospitality Public Pool			
4. Deck (check one):			Residential Commercial		
		n Pre-existing			
5. Deck Material (check	concrete	Pavers			
6. Distance from pool of	leck to water line (A): 3 Y		Sheck this box to confirm that		
7. Height of curb (B):	deck to water line (A): _3 Y	<u> </u>	ou have verified the location		
in loight of oarb (b).					
8. Width of curb (C):			of the lift will meet the ADA		
8. Width of curb (C): 9. Width of gutter (D):	16		Clear Deck Space		
9. Width of gutter (D):	16		Clear Deck Space Requirement (1009,2,3); On the side of the seat opposite the water, a		
9. Width of gutter (D):10. Bull Nose Radius (E)); 	The state of the s	Clear Deck Space Requirement (1009,2,3); On the side of the seat opposite the water, a parallel with the seat. The space shall be 36" wide minimum.		
9. Width of gutter (D):10. Bull Nose Radius (E)11. Decorative stone se	tback: Conce	Cole the	Clear Deck Space Requirement (1009.2.3); On the side of the seat opposite the water, a lear deck space shall be provided parallel with a seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line		
9. Width of gutter (D):10. Bull Nose Radius (E)11. Decorative stone se12. Is your pool located	on the ground level?	Fee the an local section of the sect	Clear Deck Space Requirement (1009.2.3); On the side of the seat opposite the water, a parameter deck space shall be provided parallel with the seat. The space shall be 36" wide minimum dishall extend forward 48" minimum from a line cated 12" behind the rear edge of the seat."		
 9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application s 	on the ground level?	Tete To No locasurements for your pool in the sea	Clear Deck Space Requirement (1009.2.3); On the side of the seat opposite the water, a parameter deck space shall be provided parallel with the seat. The space shall be 36" wide minimum dishall extend forward 48" minimum from a line cated 12" behind the rear edge of the seat."		
 9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application se the lift selected will meet the located 	tback: Conce on the ground level? Pecific. Please provide accurate me	Tele To Saverements for your pool in the span	Clear Deck Space Requirement (1009.2.3); On the side of the seat opposite the water, a tear deck space shall be provided parallel with the seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line cated 12" behind the rear edge of the seat."		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application se the lift selected will meet the loc will meet the requirements. S.R. Fax this of	on the ground level? pecific. Please provide accurate meation and installation requirements to some the same that	Tele the three thr	Clear Deck Space Requirement (1009.2.3): On the side of the seat opposite the water, a sear deck space shall be provided parallel with se seat. The space shall be 36" wide minimum d shall extend forward 48" minimum from a line cated 12" behind the rear edge of the seat." The space shall be 36" wide minimum from a line cated 12" behind the rear edge of the seat." The provided S.R.Smith will confirm that impleted Deck Profile Sheet on record,		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application s the lift selected will meet the loc will meet the requirements. S.R	on the ground level? pecific. Please provide accurate meation and installation requirements to some the same that	Tele the three thr	Clear Deck Space Requirement (1009.2.3): On the side of the seat opposite the water, a sear deck space shall be provided parallel with se seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line stated 12" behind the rear edge of the seat." The provided of the seat of the		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application s the lift selected will meet the loc will meet the requirements. S.R	tback: concern on the ground level? pecific. Please provide accurate measurements to some and installation requirements to some bears no responsibility due to complete form to 503. Form online at www.srsn	Tele the span loc	Clear Deck Space Requirement (1009.2.3): On the side of the seat opposite the water, a sear deck space shall be provided parallel with se seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line stated 12" behind the rear edge of the seat." The provided of the seat of the		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application s the lift selected will meet the loc will meet the requirements. S.R Fax this c or complete the fo	tback: concern on the ground level? pecific. Please provide accurate measurements to some and installation requirements to some bears no responsibility due to complete form to 503. Form online at www.srsn	Tele the span loc	Clear Deck Space Requirement (1009.2.3); On the side of the seat opposite the water, a par deck space shall be provided parallel with the seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line stated 12" behind the rear edge of the seat." The space shall be 36" wide minimum from a line stated 12" behind the rear edge of the seat." The provided S.R.Smith will confirm that the space shall be specified to the seat." The provided Deck Profile Sheet on record.		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note; Pool lifts are application s the lift selected will meet the loc will meet the requirements. S.R Fax this c or complete the fo	pecific. Please provide accurate mediation and installation requirements but some please form to 503. Drm online at www.srsn	The spanning of the spanning o	Clear Deck Space Requirement (1009.2.3): On the side of the seat opposite the water, a sear deck space shall be provided parallel with se seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line cated 12" behind the rear edge of the seat." The space shall be 36" wide minimum from a line cated 12" behind the rear edge of the seat." The provided S.R.Smith will confirm that completed Deck Profile Sheet on record. The provided Season alternative lift that simpleted Deck Profile Sheet on record. The provided Season sheet on record.		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application s the lift selected will meet the loc will meet the requirements. S.R Fax this c or complete the fo	pecific. Please provide accurate mediation and installation requirements but some please form to 503. Drm online at www.srsn	Tele The Standards of the ADA Design Standards of misapplication of a lift without a continuation of the ADA Design Standards of the ADA Desig	Clear Deck Space Requirement (1009.2.3): On the side of the seat opposite the water, a sear deck space shall be provided parallel with se seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line cated 12" behind the rear edge of the seat." The space shall be 36" wide minimum from a line cated 12" behind the rear edge of the seat." The provided S.R.Smith will confirm that completed Deck Profile Sheet on record. The provided Season alternative lift that simpleted Deck Profile Sheet on record. The provided Season sheet on record.		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application s the lift selected will meet the loc will meet the requirements. S.R Fax this c or complete the fo	conception on the ground level? In the grou	Tele	Clear Deck Space Requirement (1009.2.3); On the side of the seat opposite the water, a par deck space shall be provided parallel with the seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line stated 12" behind the rear edge of the seat." The space shall be 36" wide minimum from a line stated 12" behind the rear edge of the seat." The provided S.R.Smith will confirm that the space shall be spaced as a laternative lift that impleted Deck Profile Sheet on record. The space shall be provided parallel with the seat." The provided S.R.Smith will confirm that the space shall be spaced by the seat. The space shall be provided parallel with the seat. The space shall be a seat. The space shall be seat. The		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application s the lift selected will meet the loc will meet the requirements. S.R Fax this c or complete the fo	conception on the ground level? In the grou	The same of the span of the sp	Clear Deck Space Requirement (1009.2.3): On the side of the seat opposite the water, a sear deck space shall be provided parallel with the seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line stated 12" behind the rear edge of the seat." The space shall be 36" wide minimum from a line stated 12" behind the rear edge of the seat." The provided S.R.Smith will confirm that seat (2010) or suggest an alternative lift that impleted Deck Profile Sheet on record. The suggest an alternative lift that impleted Deck Profile Sheet on record. The suggest an alternative lift that impleted Deck Profile Sheet on record. The suggest and suggest		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application s the lift selected will meet the loc will meet the requirements. S.R Fax this c or complete the fo	tback: concerned level? conthe ground level? conthe	Tele the an loc cle t	Clear Deck Space Requirement (1009.2.3): On the side of the seat opposite the water, a sear deck space shall be provided parallel with a seat. The space shall be 36" wide minimum d shall extend forward 48" minimum from a line cated 12" behind the rear edge of the seat." The provided S.R.Smith will confirm that (2010) or suggest an alternative lift that impleted Deck Profile Sheet on record. Sersmith.com, Roll free 800.824.4387 The provided S.R.Smith will confirm that impleted Deck Profile Sheet on record. The provided S.R.Smith will confirm that impleted Deck Profile Sheet on record. The provided S.R.Smith will confirm that impleted Deck Profile Sheet on record.		
9. Width of gutter (D): 10. Bull Nose Radius (E) 11. Decorative stone se 12. Is your pool located Note: Pool lifts are application s the lift selected will meet the loc will meet the requirements. S.R Fax this c or complete the for Name of Distributor Lift Will Be Your Nama Property or Project Name S.R.Smith Use Only APPROVAL# O SPLASH HI/LO	tback: concerned level? conthe ground level? conthe	The same of the span of the sp	Clear Deck Space Requirement (1009.2.3): On the side of the seat opposite the water, a star deck space shall be provided parallel with a seat. The space shall be 36" wide minimum of shall extend forward 48" minimum from a line stated 12" behind the rear edge of the seat." The provided S.R.Smith will confirm that (2010) on suggest an alternative lift that impleted Deck Profile Sheet on record. The state one state of the seat of the seat of the seat of the seat. The provided S.R.Smith will confirm that the seat of the seat. The provided S.R.Smith will confirm that the seat of the seat. The provided S.R.Smith will confirm that the seat of the seat. The provided S.R.Smith will confirm that the seat of the seat. The provided S.R.Smith will confirm that the seat of the seat. The provided S.R.Smith will confirm that the seat of the seat. The provided S.R.Smith will confirm that the seat of the seat. The provided S.R.Smith will confirm that the seat of the seat. The provided S.R.Smith will confirm that the seat of the seat.		

Attachment B

SRSmith. deck profile sheet POOL LIFT* *Deck profile sheet must accompany your pool lift order 1. Preferred Lift: PAL PAL2 Splash! Splash! 300 aXs2 multiLift ML300

	*Deck profile sheet must accompany your pool lift order			
1. Preferred Lift: PAL PAL2 Splash! Splash! 300 aXs2 multiLift ML300				
2. Gutter Configuration:				
Fully recessed Fully recessed	gutter Partially recessed Bull Nose Coping			
gutter w/parapet	gutter			
	<u>}</u> ; ↓			
↑A —	B A B			
A	$\downarrow^{A} \leftarrow \stackrel{\leftarrow}{\Longrightarrow} \downarrow^{A} $			
Standard Rollout gutter backyard pool	Flush gutter and deck Floriḍa Rollout w/curb w/ or w/o bullnose			
backyal d pool	! ←→!			
A 1 A 1	$\begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \end{array} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array}$			
D				
ALCOHOL:				
If none of the images above match your gutter	configuration, please draw the shape on a separate piece of paper and attach.			
3. Facility Type (check one): Health	Club Hospitality Public Pool Residential Commercial			
	onstruction Pre-existing			
5. Deck Material (check one): Concre	ete Pavers			
	POOL Standards to a section that			
6. Distance from pool deck to water line	Check this box to confirm that			
7. Height of curb (B):	you have verified the location of the lift will meet the ADA			
The second of th	Q II Clear Deck Space			
8. Width of curb (C):	Requirement (1009,2.3);			
9. Width of gutter (D):	"On the side of the seat apposite the victor a			
10. Bull Nose Radius (E):	clear deck space shall be provided parallel with			
11. Decorative stone setback:	the seat. The space shall be 36" wide minimum and shall extend forward 48" minimum from a line			
12. Is your pool located on the ground lev	In control 10th behind the control of the control			
121 is year peor located or this great late.	OI. 100			
	accurate measurements for your pool in the space provided. S.R.Smith will confirm that			
	quirements based on the ADA Design Standards (2010) or suggest an alternative lift that			
	sibility due to misapplication of a lift without a completed Deck Profile Sheet on record.			
	to 503.266.4334, email to lifts@srsmith.com, ww.srsmith.com/liftprofile. Call toll free 800.824.4387			
Name of Distributor Lift Will Be Purchased From	Gty State			
Your Name	Email Phone			
<u>Kashaun Sayles ra</u>	shave sayles@city of charleston .org 304-348-6860			
Property or Project Name	City, State PO Number			
muk	Charleston, wil			
S.R.Smith Use Only				
APPROVAL#OPAL				
AND THE SECOND CONTRACTOR OF THE SECOND CONTRA	LASH ER HI/LO OSPLASH SPA OSPLASH 300 OMULTILIFT			
○ SPLASH 300 HI/LO ○ SPLASH W/RO	UND POST OAXS2 OAXS2 W/ROUND POST OML300			

Attachment C

deck profile sheet POOL LIFT* SR Smith. *Deck profile sheet must accompany your pool lift order 1. Preferred Lift: PAL PAL2 Splash! Splash! 300 aXs2 multiLift ML300 2. Gutter Configuration: Partially recessed Bull Nose Coping Fully recessed Fully recessed gutter w/parapet gutter gutter Florida Rollout w/curb Flush gutter and deck Rollout gutter Standard w/ or w/o bullnose backyard pool If none of the images above match your gutter configuration, please draw the shape on a separate piece of paper and attach. Hospitality Public Pool Residential Commercial 3. Facility Type (check one): Health Club New Construction Pre-existing 4. Deck (check one): 5. Deck Material (check one): Concrete Check this box to confirm that 6. Distance from pool deck to water line (A): you have verified the location 7. Height of curb (B): of the lift will meet the ADA Clear Deck Space 8. Width of curb (C): Requirement (1009.2.3): 9. Width of gutter (D): "On the side of the seat opposite the water, a clear deck space shall be provided parallel with 10. Bull Nose Radius (E): the seat. The space shall be 36" wide minimum 11. Decorative stone setback: and shall extend forward 48" minimum from a line located 12" behind the rear edge of the seat." 12. Is your pool located on the ground level? Note: Pool lifts are application specific. Please provide accurate measurements for your pool in the space provided. S.R.Smith will confirm that the lift selected will meet the location and installation requirements based on the ADA Design Standards (2010) or suggest an alternative lift that will meet the requirements. S.R.Smith bears no responsibility due to misapplication of a lift without a completed Deck Profile Sheet on record. Fax this completed form to 503.266.4334, email to lifts@srsmith.com, or complete the form online at www.srsmith.com/liftprofile. Call toll free 800.824.4387 State Name of Distributor Lift Will Be Purchased From 304-348-686 rashaun. sayles@rity of charleston. 019 Property or Project Name S.R.Smith Use Only **OPAL** O PAL2 O SPLASH OPAL HI/LO OPAL SPA APPROVAL#. O SPLASH HI/LO O SPLASH ER O SPLASH ER HI/LO O SPLASH SPA O SPLASH 300 O MULTILIFT O SPLASH 300 HI/LO O SPLASH W/ROUND POST OAXS2 AXS2 W/ROUND POST OML300

Attachment D

SR.Smith.

deck profile sheet **POOL LIFT***

*Deck profile sheet must accompany your pool lift order				
1. Preferred Lift: PAL PAL2 Splash! Splash! 300 aXs2 multiLift ML300				
2. Gutter Configuration:				
Fully recessed	Fully recessed gutter w/parapet	Partially re	cessed	Bull Nose Coping
gutter	: ← C → : 1	— gutter		
A	↑A B			$\leftarrow c \rightarrow \downarrow$
A	D)	↑A :		A []
		D		<u> </u>
Standard	Rollout gutter	Flush gutte	er and deck	Florida Rollout w/curb
backyard pool		w/orw/o		
A	↑A.	D		↓ B C ↓
	D			A LB
If none of the images abo	ove match your gutter configurati	ion please drawthe st	nana on a sanara	to piece of paper and attach
			·····	
3. Facility Type (check	one): Health Club	Hospitality P	ublic Pool	Residential Commercial
4. Deck (check one):	New Construction	on Pre-existing		
5. Deck Material (chec	k one): Concrete	Pavers		
	PO	OL.		
6. Distance from pool of	deck to water line (A): 41		Che	ck this box to confirm that have verified the location
7. Height of curb (B):				e lift will meet the ADA
8. Width of curb (C):		-	Clea	ar Deck Space
9. Width of gutter (D):	11,	42"		uirement (1009,2.3);
10. Bull Nose Radius (E):		clear d	e side of the seat opposite the water, a eck space shall be provided parallel with
11. Decorative stone se	etback: conc	net-e		t. The space shall be 36" wide minimum Il extend forward 48" minimum from a line
12. Is your pool located	on the ground level?	Yes No		12" behind the rear edge of the seat."
the lift selected will meet the loc	specific. Please provide accurate me cation and installation requirements	based on the ADA Desi	ign Standards (20	(1) or suggest an alternative lift that
will meet the requirements. S.R	Smith bears no responsibility due t	to misapplication of a lift	without a compl	eted Deck Profile Sheet on record.
Fax this completed form to 503.266.4334, email to lifts@srsmith.com, or complete the form online at www.srsmith.com/liftprofile. Call toll free 800.824.4387				
			file. Call toll	free 800.824.4387
Name of Distributor Lift Will Be	Purchased From	Gty	State	
Your Name				
Rashaun	Soules rachan	. sayles@cityof	Phone	1.019 304-348-686
Property or Project Name	Owit & Tastaon			
C. T. T. S. T. T. S. C. T. T. T. T. T. T. T. S. C. T.	Cato C	City, State	PO Nu	mber)
S.R.Smith Use Only				
APPROVAL#) PAL2 O SPLASH
		HI/LO OSPLASH		
O SPLASH 300 HI/LO	\bigcirc SPLASH W/ROUND POS	T OAXS2 O	AXS2 W/ROU	ND POST OML300